



Technical drawing of a mechanical part, showing a cross-section of a shaft with a central hole and a flange. The drawing includes dimensions and a title block.




Technical drawing of a bolt and nut assembly. The drawing shows a bolt with a hexagonal head and a threaded shank, passing through a washer and a nut. The bolt is shown in a perspective view, with the head on the left and the shank extending to the right. The washer is a flat, circular disc with a central hole, positioned between the bolt head and the nut. The nut is a hexagonal component with internal threads, positioned on the right side of the bolt shank. The drawing is a line drawing with no shading or color.

- | 6 CONTACT SIZE AND REAR SEAL WIRE RANGE: | | | | |
|--|----------------------|----------------------|--------------------|--|
| CONTACT SIZE | MIN. INSUL O.D. | MAX. INSUL O.D. | TYPICAL WIRE RANGE | |
| 16 | 1.35 mm
(.053 in) | 3.05 mm
(.120 in) | 14 - 20 AWG | |

REVISIONS					
REV	ECO	DESCRIPTION	DATE	BY	APPR
A1	-	RELEASE	30APR15	JAH	-



AT04-2P-PM14		DESCRIPTION		ITEM
PART NUMBER				
QUANTITY				
MATERIALS LIST				
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC +0.00 2 PL DEC +0.15 3 PL DEC +0.08 Fractions ±1/64 Angles ±1° 3) Note reference = 		SIGNATURES DRAWN: J. HEAD CHECKED: ENGINEER: APPROVAL: CUSTOMER:		DATE 30APR15
MATERIAL SPECIFICATIONS:		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS.		
PROCESS SPECIFICATIONS:		SIZE B C- TYPE AT04-2P-PM14 DWG NO: SCALE: NONE SHEET 1 OF		
NEXT ASSY:		RECEPTACLE, 2 PIN, AT SERIES, W/FLANGE, GASKET, RD SEAL, END CAP Revision A1		